

Common Name: TSP GENERAL PURPOSE CLEANER

Manufacturer: DAP

MSDS Revision Date: 4/30/2008

MSDS Format: No Format Specified

Grainger Item Number(s): 10L522, 10L523

Manufacturer Model Number(s):

MSDS Table of Contents

Click the desired link below to jump directly to that section in the MSDS.

[SECTION 1 - CHEMICAL PRODUCT / COMPANY INFORMATION](#)

[SECTION 2 - HAZARDS IDENTIFICATION](#)

[SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS](#)

[SECTION 4 - FIRST AID MEASURES](#)

[SECTION 5 - FIRE FIGHTING MEASURES](#)

[SECTION 6 - ACCIDENTAL RELEASE MEASURES](#)

[SECTION 7 - HANDLING AND STORAGE](#)

[SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION](#)

[SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES](#)

[SECTION 10 - STABILITY AND REACTIVITY](#)

[SECTION 11 - TOXICOLOGICAL INFORMATION](#)

[SECTION 12 - ECOLOGICAL INFORMATION](#)

[SECTION 13 - DISPOSAL INFORMATION](#)

[SECTION 14 - TRANSPORTATION INFORMATION](#)

[SECTION 15 - REGULATORY INFORMATION](#)

[SECTION 16 - OTHER INFORMATION](#)

00079403001 ENGLISH

DAP (R*)

AN RPM COMPANY

MATERIAL SAFETY DATA SHEET

24 HOUR EMERGENCY PHONE NUMBERS:

MEDICAL/POISON CONTROL:

IN U.S.: CALL 1-800-222-1222

OUTSIDE U.S.: CALL YOUR LOCAL POISON CONTROL CENTER

TRANSPORTATION/NATIONAL RESPONSE CENTER:

1-800-535-5053

1-352-323-3500

NOTE:

THE NATIONAL RESPONSE CENTER EMERGENCY NUMBERS TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT INVOLVING CHEMICALS.

IMPORTANT:

PROVIDE THIS INFORMATION TO EMPLOYEES, CUSTOMERS, AND USERS OF THIS PRODUCT. READ THIS MSDS BEFORE HANDLING OR DISPOSING OF THIS PRODUCT. THIS PRODUCT IS

COVERED BY THE OSHA HAZARD COMMUNICATION STANDARD AND THIS DOCUMENT HAS BEEN PREPARED IN ACCORDANCE WITH REQUIREMENTS OF THIS STANDARD. ALL ABBREVIATED TERMS USED IN THIS MSDS ARE FURTHER DESCRIBED IN SECTION 16.

SECTION 1 - CHEMICAL PRODUCT / COMPANY INFORMATION



THIS MATERIAL SAFETY DATA SHEET IS AVAILABLE IN CANADIAN FRENCH AND HISPANIC AMERICAN SPANISH UPON REQUEST.

PRODUCT NAME: TSP GENERAL PURPOSE CLEANER

PRODUCT UPC NUMBER: 070798630017, 07098630048

PRODUCT USE/CLASS: TRI-SODIUM PHOSPHATE CLEANER

REVISION DATE: 04/30/2008

SUPERSEDES: 04/07/2004

MSDS NUMBER: 00079403001

MANUFACTURER:

DAP INC.

2400 BOSTON STREET

SUITE 200

BALTIMORE, MD 21224-4723

888-327-8477 (NON-EMERGENCY MATTERS)

SECTION 2 - HAZARDS IDENTIFICATION



EMERGENCY OVERVIEW: A WHITE TO OFF-WHITE POWDER PRODUCT WITH A SLIGHT ODOR.

WARNING!

MAY CAUSE EYE OR SKIN IRRITATION. PRODUCT DUST MAY BE IRRITATING TO EYES, SKIN AND RESPIRATORY SYSTEM.

REFER TO OTHER MSDS SECTIONS FOR OTHER DETAILED INFORMATION.

EFFECTS OF OVEREXPOSURE - EYE CONTACT: MAY CAUSE EYE IRRITATION.

EFFECTS OF OVEREXPOSURE - SKIN CONTACT: MAY CAUSE SKIN IRRITATION.

EFFECTS OF OVEREXPOSURE - INHALATION:

INHALATION CAUSES IRRITATION TO THE RESPIRATORY TRACT (NOSE, MOUTH, THROAT, MUCOUS MEMBRANES).

EFFECTS OF OVEREXPOSURE - INGESTION:

MAY CAUSE IRRITATION OF MUCOUS MEMBRANES IN THE MOUTH AND DIGESTIVE TRACT.

EFFECTS OF OVEREXPOSURE - CHRONIC HAZARDS:

REPEATED OR PROLONGED EXPOSURE MAY CAUSE RESPIRATORY SYSTEM DAMAGE.

REPEATED OR PROLONGED EXPOSURE MAY CAUSE IRRITATION OF EYES AND SKIN.

PRIMARY ROUTE(S) OF ENTRY: SKIN CONTACT, INHALATION, EYE CONTACT

MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY EXPOSURE:

ASTHMA AND ASTHMA-LIKE CONDITIONS MAY WORSEN FROM PROLONGED AND REPEATED EXPOSURE.

CARCINOGENICITY: NONE.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS



CHEMICAL NAME	CASRN	WT %
SODIUM PHOSPHATE, TRIBASIC	10101-89-0	30-60
SODIUM CARBONATE ANHYDROUS	497-19-8	10-30

SECTION 4 - FIRST AID MEASURES



FIRST AID - EYE CONTACT:

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH LARGE QUANTITIES OF WATER FOR AT LEAST 15 MINUTES UNTIL IRRITATION SUBSIDES. GET MEDICAL ATTENTION IMMEDIATELY.

FIRST AID - SKIN CONTACT:

WASH OFF IMMEDIATELY WITH SOAP AND PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL AID IF SYMPTOMS PERSIST. REMOVE AND WASH CONTAMINATED CLOTHING. IF RASH OR IRRITATION DEVELOPS, CONSULT A PHYSICIAN.

FIRST AID - INHALATION:

IF INHALED, REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, LEAVE THE AREA TO OBTAIN FRESH AIR. IF CONTINUED BREATHING DIFFICULTY IS EXPERIENCED, GET MEDICAL ATTENTION IMMEDIATELY.

FIRST AID - INGESTION:

IF SWALLOWED, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

NOTE TO PHYSICIAN: NONE.

COMMENTS:

IF OVER-EXPOSURE OCCURS, CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222.

SECTION 5 - FIRE FIGHTING MEASURES



EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL, FOAM

UNUSUAL FIRE AND EXPLOSION HAZARDS:

NO SPECIAL PROTECTIVE MEASURES AGAINST FIRE REQUIRED.

SPECIAL FIREFIGHTING PROCEDURES:

WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND (NIOSH APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR. USE WATER SPRAY TO COOL EXPOSED SURFACES.

SECTION 6 - ACCIDENTAL RELEASE MEASURES



STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

WEAR PROPER PROTECTIVE EQUIPMENT AS SPECIFIED IN SECTION 8. DISPOSE OF MATERIAL IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. SWEEP UP EXCESS POWDER. PLACE REMAINING POWDER INTO CONTAINERS.

SECTION 7 - HANDLING AND STORAGE



HANDLING:

KEEP OUT OF REACH OF CHILDREN!

DO NOT TAKE INTERNALLY. AVOID BREATHING DUST. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING.

STORAGE:

STORE CONTAINERS AWAY FROM EXCESSIVE HEAT AND FREEZING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION



CHEMICAL NAME	CASRN	ACGIH TWA	ACGIH STEL	ACGIH CEIL	OSHA TWA	OSHA STEL	OSHA CEIL	SKIN
SODIUM PHOSPHATE, TRIBASIC	10101-89-0	N.E.	N.E.	N.E.	N.E.	N.E.	N.E.	NO
SODIUM CARBONATE ANHYDROUS	497-19-8	N.E.	N.E.	N.E.	N.E.	N.E.	N.E.	NO

EXPOSURE NOTES: NONE.

PRECAUTIONARY MEASURES:

PLEASE REFER TO OTHER SECTIONS AND SUBSECTIONS OF THIS MSDS.

ENGINEERING CONTROLS:

GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT TO CONTROL AIRBORNE LEVELS. WHILE MIXING, PROVIDE SUFFICIENT MECHANICAL VENTILATION (LOCAL OR GENERAL EXHAUST) TO MAINTAIN EXPOSURE BELOW PEL AND TLV.

RESPIRATORY PROTECTION:

IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. A NIOSH-APPROVED AIR PURIFYING RESPIRATOR WITH AN ORGANIC VAPOR CARTRIDGE OR CANISTER MAY BE NECESSARY UNDER CERTAIN CIRCUMSTANCES WHERE AIRBORNE CONCENTRATIONS ARE EXPECTED TO EXCEED EXPOSURE LIMITS. A RESPIRATORY PROTECTION PROGRAM THAT MEETS THE OSHA 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH (NIOSH) HAS RECOMMENDED THAT THE PERMISSIBLE EXPOSURE LIMIT BE CHANGED TO 50 MICROGRAMS RESPIRABLE FREE SILICA PER CUBIC METER OF AIR (0.05 MG/M3) AS DETERMINED BY A FULL SHIFT SAMPLE UP TO 10-HOUR WORK SHIFT.

SKIN PROTECTION: RUBBER GLOVES.

EYE PROTECTION: GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

OTHER PROTECTIVE EQUIPMENT:

SAFETY SHOWER AND EYEWASH STATION SHOULD BE LOCATED IN IMMEDIATE WORK AREA. PROVIDE COVERALLS IF BODY CONTACT MAY OCCUR.

HYGIENIC PRACTICES:

WASH HANDS BEFORE BREAKS AND AT THE END OF WORKDAY. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. FOLLOW ALL MSDS / LABEL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED BECAUSE IT MAY RETAIN PRODUCT RESIDUES.

IMPORTANT:

LISTED PERMISSIBLE EXPOSURE LEVELS (PEL) ARE FROM THE U.S. DEPT. OF LABOR OSHA FINAL RULE LIMITS (CFR 29 1910.1000); THESE LIMITS MAY VARY BETWEEN STATES.

NOTE:

AN EMPLOYEE'S SKIN EXPOSURE TO SUBSTANCES HAVING A "YES" IN THE "SKIN" COLUMN IN THE TABLE ABOVE SHALL BE PREVENTED OR REDUCED TO THE EXTENT NECESSARY UNDER THE CIRCUMSTANCES THROUGH THE USE OF GLOVES, COVERALLS,

GOGGLES OR OTHER APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT, ENGINEERING CONTROLS OR WORK PRACTICES.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES



BOILING RANGE: NOT ESTABLISHED

VAPOR DENSITY: HEAVIER THAN AIR

ODOR: SLIGHT

ODOR THRESHOLD: NOT ESTABLISHED

COLOR: WHITE TO OFF-WHITE

EVAPORATION RATE: NOT ESTABLISHED

SOLUBILITY IN H2O: NOT ESTABLISHED

SPECIFIC GRAVITY: 1.4

FREEZE POINT: NOT ESTABLISHED

pH: BETWEEN 7.0 AND 12.0

VAPOR PRESSURE: NOT ESTABLISHED

VISCOSITY: NOT ESTABLISHED

PHYSICAL STATE: POWDER

FLAMMABILITY: NON-FLAMMABLE

FLASH POINT, F: GREATER THAN 200
METHOD: (SETA CLOSED CUP)

LOWER EXPLOSIVE LIMIT, %: NOT ESTABLISHED
UPPER EXPLOSIVE LIMIT, %: NOT ESTABLISHED

WHEN REPORTED, VAPOR PRESSURE OF THIS PRODUCT HAS BEEN CALCULATED THEORETICALLY BASED ON ITS CONSTITUENT MAKEUP AND HAS NOT BEEN DETERMINED EXPERIMENTALLY.

(SEE SECTION 16 FOR ABBREVIATION LEGEND)

SECTION 10 - STABILITY AND REACTIVITY



CONDITIONS TO AVOID: EXCESSIVE HEAT AND FREEZING.

INCOMPATIBILITY: INCOMPATIBLE WITH STRONG BASES AND OXIDIZING AGENTS.

HAZARDOUS DECOMPOSITION PRODUCTS:
NORMAL DECOMPOSITION PRODUCTS, I.E., CO_x, NO_x.

HAZARDOUS POLYMERIZATION:
HAZARDOUS POLYMERIZATION WILL NOT OCCUR UNDER NORMAL CONDITIONS.

STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

SECTION 11 - TOXICOLOGICAL INFORMATION



PRODUCT LD50: NOT ESTABLISHED
PRODUCT LC50: NOT ESTABLISHED

CASRN	CHEMICAL NAME	LD50	LC50
10101-89-0	SODIUM PHOSPHATE, TRIBASIC	RAT: 7400 MG/KG	
497-19-8	SODIUM CARBONATE ANHYDROUS		RAT: 2300 MG/M3/2H

SIGNIFICANT DATA WITH POSSIBLE RELEVANCE TO HUMANS: NONE.

SECTION 12 - ECOLOGICAL INFORMATION



ECOLOGICAL INFORMATION:
ECOLOGICAL INJURIES ARE NOT KNOWN OR EXPECTED UNDER NORMAL USE.

SECTION 13 - DISPOSAL INFORMATION



DISPOSAL INFORMATION:
DISPOSE OF MATERIAL IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. STATE AND LOCAL REGULATIONS/RESTRICTIONS ARE COMPLEX AND MAY DIFFER FROM FEDERAL REGULATIONS. RESPONSIBILITY FOR PROPER WASTE DISPOSAL IS WITH THE OWNER OF THE WASTE.

EPA WASTE CODE IF DISCARDED (40 CFR SECTION 261): NONE.

SECTION 14 - TRANSPORTATION INFORMATION



DOT PROPER SHIPPING NAME: NOT REGULATED.

PACKING GROUP: N.A.

DOT TECHNICAL NAME: N.A.

HAZARD SUBCLASS: N.A.

DOT HAZARD CLASS: N.A.

DOT UN/NA NUMBER: NONE

NOTE:

THE SHIPPING INFORMATION PROVIDED IS APPLICABLE FOR DOMESTIC GROUND TRANSPORT ONLY. DIFFERENT CATEGORIZATION MAY APPLY IF SHIPPED VIA OTHER MODES OF TRANSPORTATION AND/OR TO NON-DOMESTIC DESTINATIONS.

SECTION 15 - REGULATORY INFORMATION



CERCLA - SARA HAZARD CATEGORY:

THIS PRODUCT HAS BEEN REVIEWED ACCORDING TO THE EPA 'HAZARD CATEGORIES' PROMULGATED UNDER SECTIONS 311 AND 312 OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 (SARA TITLE III) AND IS CONSIDERED, UNDER APPLICABLE DEFINITIONS, TO MEET THE FOLLOWING CATEGORIES:
IMMEDIATE HEALTH HAZARD, CHRONIC HEALTH HAZARD

SARA SECTION 313:

THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENT AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: NONE

TOXIC SUBSTANCES CONTROL ACT:

ALL INGREDIENTS IN THIS PRODUCT ARE EITHER ON TSCA INVENTORY LIST, OR OTHERWISE EXEMPT.

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF TSCA 12(B) IF EXPORTED FROM THE UNITED STATES:
NONE

NEW JERSEY RIGHT-TO-KNOW:

THE FOLLOWING MATERIALS ARE NON-HAZARDOUS, BUT ARE AMONG THE TOP FIVE COMPONENTS IN THIS PRODUCT: NONE

PENNSYLVANIA RIGHT-TO-KNOW:

THE FOLLOWING NON-HAZARDOUS INGREDIENTS ARE PRESENT IN THE PRODUCT AT GREATER THAN 3%: NONE

CALIFORNIA PROPOSITION 65:

WARNING:

THIS PRODUCT DOES NOT CONTAIN CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

SECTION 16 - OTHER INFORMATION



HMIS RATINGS:

HEALTH 2
FLAMMABILITY 0
REACTIVITY 0
PERSONAL PROTECTION X

VOLATILE ORGANIC COMPOUNDS (VOC), LESS WATER LESS EXEMPTS:

G/L: 0.0
LB/GAL: 0.0
WT:WT %: 0.0

VOLATILE ORGANIC COMPOUNDS (VOC), LESS WATER LESS EXEMPTS, LESS LVP-VOCS:

WT:WT %: 0.0

REASON FOR REVISION: PERIODIC UPDATE

LEGEND:

N.A. - NOT APPLICABLE
ACGIH - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS
N.E. - NOT ESTABLISHED
SARA - SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986
N.D. - NOT DETERMINED
NJRTK - NEW JERSEY RIGHT-TO-KNOW LAW
VOC - VOLATILE ORGANIC COMPOUND
OSHA - OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PEL - PERMISSIBLE EXPOSURE LIMIT
HMIS - HAZARDOUS MATERIALS IDENTIFICATION SYSTEM
TLV - THRESHOLD LIMIT VALUE
NTP - NATIONAL TOXICOLOGY PROGRAM
CEIL - CEILING EXPOSURE LIMIT
STEL - SHORT TERM EXPOSURE LIMIT
LD50 - LETHAL DOSE 50
LC50 - LETHAL CONCENTRATION 50
F - DEGREE FAHRENHEIT
MSDS - MATERIAL SAFETY DATA SHEET
C - DEGREE CELSIUS
CASRN - THE CHEMICAL ABSTRACTS SERVICE REGISTRY NUMBER

DAP BELIEVES THE DATA AND STATEMENTS CONTAINED HEREIN ARE ACCURATE AS OF THE DATE HEREOF. THEY ARE OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A

PRODUCT SPECIFICATION. NO WARRANTY OF MERCHANTABILITY, WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE WITH REGARD TO THE INFORMATION HEREIN PROVIDED OR THE PRODUCT TO WHICH THE INFORMATION REFERS. SINCE THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE USE AND PRECAUTIONARY HANDLING OF THE REFERENCED PRODUCT BY A PROPERLY TRAINED PERSON, IT IS THEREFORE THE RESPONSIBILITY OF THE USER TO (I) REVIEW THE RECOMMENDATIONS WITH DUE CONSIDERATION FOR THE SPECIFIC CONTEXT OF THE INTENDED USE AND (II) DETERMINE IF THEY ARE APPROPRIATE.